## **Direct Access Deployment Steps**

- 1. Install the remote access role:
  - In the Server Manager console, in the Dashboard, click add roles.
  - Click Next three times to get to the server role selection screen.
  - On the Select Server Roles dialog, select Remote Access, click Add Required Features, and then click Next.
  - On the Select features dialog, expand Remote Server Administration Tools, expand Role Administration Tools, and then select Remote Access Management Tools, and then click Next.
  - Click Next four times.
  - On the Confirm installation selections dialog, click Install.
  - On the Installation progress dialog, verify that the installation was successful, and then click Close.
- 2. Obtain two consecutive public IPv4 IP addresses and configure them on the external adapter of the server. These addresses must be unique.
- 3. Create a new DNS record for the server FQDN.
- 4. Obtain a server certificate for IP-HTTPS connections, with a subject name that matches the FQDN of the server.
- 5. Create client security groups.
- 6. After Installing the Remote Access Role. Open up the Remote Access Management Console



7. Click on the Deploy DirectAccess Only option



8. If two network adapters are present, select the Edge topology and enter the FQDN or External IP address, if not, select the topology that meets your requirements

0	Remote Access Management Console	- 0 1	*
TE CONTROLINATION	Remote Access Setup	Tasks	_
C40-80480		General	^
W ORRATIONS STATUS	1 mer conference acceleration of the	Manage a Remote Server	
BENETY CLENT STATUS		Related Configuration	
ET analysis of the second	Configure Remote Access	v#s	^
Re encourses	DirectAccess & VRW settings have not yet been configured. Select one of the witard options.	Open RRAS Management	
B 4845	Even the Getters Stated Waterd	Learn About	^
	Configure Remote Access	Learn About Remote Access	
	Remote Access Server Setup		
	Carefigure DirectAccess and VPN settings.		
	Life Tea was		
	Sector and an international sector of the same		
	O Mar		
	The Ge  O Behind an edge device (with two network adapters)		
	U construction and an edge device (with a single network adapter)		
	In this topology, the Remote Access server is deployed with a single network adapter that is		
	convected to the internal network.		
	Type the public name or Pol address used by clients to connect to the Remote Access server		
	36.781.305.51		
	+ Buil Nyth Frein Canad		
	Transferreite Benediction and Antonio and Antonio and Antonio and		

9. Click Next and Finish with the default options or select to edit the settings (settings can be edited later)



10. The wizard cycles through various processes and completes the task

0	Remote Access Management Consc	ole	- 0 x
The operation of the operation	Remote Access Setup	·	Tasks
Cutodouteo			real A
N ORDANCES STATUS	Combre summer scene account concount and pairs		Manage a Remote Server
			Reload Configuration
El annormal	Configure Remote Access	19	n n
and the second second	DirectAccess & VPV settings have not yet been configured. Select one of the woard options.		Open REAS Management
E 1944	Run the Getting Started Waard	- Cen	<ul> <li>kodi m</li> </ul>
	Use this way 10 Configure Remote Access	×	Learn About Remote Access
	Applying Getting Started Waard Sett	ingi	
	Applying Getting Started Wizard Settings		
	Renate Access will be updated with configuration untrop.		
	famole A The configuration was packed account do		
	The Ge Click bat	*	
	unity interest		
	and Country		
	Te apply Colores details		
	Oracleg Deathing Deathcases divert paikases		
	O Making accounting within .		
	Writing wetrights the server GPCs.		
	Quedeng boal wetrogs     Asstern GPCs on the Remote Access anivers		
	(i) 🕐 Landerg Served Converting Assident settings		
	III O Fosting constructions after subject or guilter.		
	Generg standar.	<u> </u>	
		Cancel	

Once completed successfully, the ability to look through all the configuration steps and edit as needed/necessary is made available.

